


mobius

Division by Skip Counting - Partial Skip Count Number Set to Quotient



Skip count by 7. How many constellations would have 35 stars total?	A 7	В 3	C 8	2 Skip count by 7. How many constellations would have 49 stars total?	A 11	В 9	c 10
35 stars				49 stars			
= 7 stars	D 5	E 2		= 7 stars	D 7	E 4	
35, 28, 21,				49, 42, 35,			
3 Skip count by 7. How many constellations would have 63 stars total?	A 12	B 6	С 9	Skip count by 7. How many constellations would have 56 stars total?	A 4	B 10	C 8
63 stars				56 stars	•		
= 7 stars	D 13	E 11		= 7 stars	D 12	E 6	
63, 56, 49,	13	''		56, 49, 42,	12	0	
5 Skip count by 7. How many boxes would have 42 crayons total?	A	В	С	Skip count by 7. How many constellations would have 42 stars total?	A	В	С
42 crayons	2	9	6	42 stars	4	9	8
= 7 crayons	D	E		= 7 stars	D	E	
42, 35, 28,	1	10		42, 35, 28,	6	2	
7 Skip count by 7. How many boxes would have 63 crayons total?	A	В	C	8 Skip count by 7. How many boxes would have 35 crayons total?		В	С
63 crayons	11	4	7	35 crayons	9	3	8
= 7 crayons	D	E		= 7 crayons	D	E _	
63, 56, 49,	6	9		35, 28, 21,	0	5	