


mobius

Fraction Conversion - To Improper, Wholes Only



| 1 | Find the numerator when this whole number is turned into an improper fraction (don't | A 16 | B 18 | C 11 | 2 | Find the numerator when this whole number is turned into an improper fraction (don't | A 27 | | B 18 | | С | 26 |
|---|--|---------|---------|---------|---|--|------|-----|---------|----|---|----|
| | simplify) | 10 | 10 | 11 | | simplify) | | 21 | ' | 10 | | 20 |
| (| $\hat{\mathfrak{d}} = \hat{\mathfrak{d}}$ | D | E | F | | $2 = \frac{1}{2}$ | D | 0.4 | E | | F | |
| | 2 | 12 | 20 | 14 | | 9 | | 24 | 1 | 15 | | 17 |
| 3 | Find the numerator when this whole number is turned into an improper fraction (don't simplify) | A 18 | B 12 | C 11 | 4 | Find the numerator when this whole number is turned into an improper fraction (don't simplify) | A | 16 | В 2 | 25 | С | 21 |
| | Simplify) | D | E | F | | Simplify) | D | | E | | F | |
| 2 | $2 = \frac{1}{2}$ | 9 | 21 | 16 | 4 | $4 = \frac{1}{4}$ | D | 19 | | 10 | Г | 18 |
| | 6 | | 21 | 10 | | 4 | | 10 | ' | 10 | | |
| 5 | Find the numerator when this whole number is turned into an improper fraction (don't simplify) | A 24 | В 22 | c 34 | | | | | | | | |
| | $\dot{\beta} = \dot{-}$ | D | E | F | | | | | | | | |
| ` | 8 | 18 | 20 | 40 | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |